

# Virtualization Mockups

Exported at: Fri Aug 19 2016 16:19:39 GMT+0530 (IST)

## Templates for s390x

### Edit Template

General      Storage      Interface      Processor

Name: ubuntu16.04.1471434425738 ✕

Vendor: ubuntu

Version: 16.04

Memory (MB): 2048 More

CDROM: /root/ubuntu-16.04-server-s390x.iso

Console: scip virtio

Save Cancel

### Edit Template

General      **Storage**      Interface      Processor

Source	Storage Pool	Type	Disk(GB)	Disk Format	
Path: <span>▼</span>	default: <span>▼</span>	dir	10	qcow2: <span>▼</span>	<span>+ Add Storage</span>
Pool: <span>▼</span>	default: <span>▼</span>	dir	10	qcow2: <span>▼</span>	<span>- Delete</span>

Save Cancel

### Edit Template

General      Storage      **Interface**      Processor

Network	Type	Mode	
enccw0.0.15: <span>▼</span>	macvtap: <span>▼</span>	Bridge: <span>▼</span>	<span>+ Add Interface</span>
ovsbridge1: <span>▼</span>	ovs: <span>▼</span>	None: <span>▼</span>	<span>- Delete</span>
default: <span>▼</span>	network: <span>▼</span>	None: <span>▼</span>	<span>- Delete</span>

Save Cancel

## Guest Changes for s390x

### Add a Storage Device to VM ✕

Device Type

disk ▼

📘 The device type. Currently, "cdrom" and "disk" are supported. If the guest is running, only "disk" is supported.

Create a new disk  Select an existing disk

Source

Pool ▼

📘 Storage based on Libvirt pool or direct block device

Storage Pool

default ▼

📘 Storage pool in which the volume is located in default

Storage Volume

39ac53fe-ac42-42a6-a9a3-bbfbb9795ab8-0.img ▼

📘 Storage volume to be attached

Attach Cancel

### Add a Storage Device to VM ✕

Device Type

disk ▼

📘 The device type. Currently, "cdrom" and "disk" are supported. If the guest is running, only "disk" is supported.

Create a new disk  Select an existing disk

Source

Path ▼

📘 Storage based on Libvirt pool or direct block device

Disk Path

📘 Provide a block device

Attach Cancel

# Guest Changes for s390x Cont

### Edit Guest

General **Storage** Interface Permission

**+ Add**

Device	Path	
vda	/var/lib/libvirt/images/9825ca2b-bd1c-4221-8918-2dadb9a30446-0.img	● Detach
sdc	/root/ubuntu-16.04-server-s390x.iso	✎ Replace

Save Cancel

### Edit Guest

General Storage **Interface** Permission

**+ Add**

Network	Type	Mode	MAC Address	IP Address	
default	network	None	52:54:00:db:7b:32		✎ Edit ● Remove
enccw0.0.1500	macvtap	Bridge			
ovsbridge1	ovs	None			

Save Cancel